

UDC 595.763.33(477.7/8)

DOI: 10.36016/KhESG-2022-30-1-2-1

© 2022 A. V. GONTARENKO

CONTRIBUTION TO THE FAUNA OF THE ROVE BEETLES (COLEOPTERA: STAPHYLINIDAE) OF UKRAINE

Гонтаренко, А. В. До фауни жуків-стафілінід (Coleoptera: Staphylinidae) України. *Віснік Харківського ентомологічного товариства*. 2022. Т. XXX, вип. 1-2. С. 5-7. DOI: 10.36016/KhESG-2022-30-1-2-1.

Наводяться нові знахідки семи видів стафілінід з терену України, серед яких *Pseudomedon huenthali* (Hubental, 1927) вказується для України вперше.

13 назв.

Ключові слова: Coleoptera, Staphylinidae, поширення, Україна.

Gontarenko, A. V. Contribution to the fauna of the rove beetles (Coleoptera: Staphylinidae) of Ukraine. *The Kharkov Entomological Society Gazette*. 2022. Vol. XXX, iss. 1-2. P. 5-7. DOI: 10.36016/KhESG-2022-30-1-2-1.

New records of seven species of the rove beetles from Ukraine are provided, of which *Pseudomedon huenthali* (Hubental, 1927) is reported for the first time for Ukraine.

13 refs.

Keywords: Coleoptera, Staphylinidae, distribution, Ukraine.

Гонтаренко, А. В. К фауне жуков-стафілінід (Coleoptera: Staphylinidae) України. *Ізвестия Харьковского энтомологического общества*. 2022. Т. XXX, вып. 1-2. С. 5-7. DOI: 10.36016/KhESG-2022-30-1-2-1.

Приводятся новые находки семи видов стафилинид с территории Украины, среди которых *Pseudomedon huenthali* (Hubental, 1927) указывается впервые для Украины.

13 назв.

Ключевые слова: Coleoptera, Staphylinidae, распространение, Украина.

Introduction. Rove beetles are the largest family of the beetles, and one of the largest families of insects in the fauna of Ukraine. The Ukrainian fauna of the rove beetles remains insufficiently studied, as evidenced by recent records of new species for Ukraine (Gontarenko, 2012, 2019).

Materials and methods. The article is based on the studying of the material collected by author. All material is stored in the author's private collection. The material was found by hand-collecting under stones, by sampling various substrates (cow dung, soil, turf, mushrooms). Substrate was put on the oilcloth. Sometime the common substrates were sifted through an entomological sifter or metal sieve. New species for Ukraine is marked with an asterisk (*). General distribution data is based on Schülke and Smetana (2015).

Results and discussions.

Subfamily OMALIINAE MacLeay, 1825

Genus *Phyllodrepa*ide a Ganglbauer, 1895

***Phyllodrepa*ide a crenata (Gravenhorst, 1802)**

Material. Transcarpathian Region: Rakiv District, Luh vicinity, tract Kuziy, *Trametes* sp., 9.10.2022 — 1 ♂; Tiachiv District, Shyrokyi Luh vicinity, *Armillaria mellea* (Vahl) P. Kumm., 1871, 525 m a. s. l.; 23.10.2022 — 1 ♂; ibidem, *Hericium coralloides* (Scop.) Pers., 1794, ~ 830 m a. s. l., 24.10.2022 — 1 ♀.

Distribution. European species, for Ukraine was known only one specimen from Transcarpathian Region (Gontarenko, 2012).

Genus *Omalium* Gravenhorst, 1802

***Omalium oxyacanthae* Gravenhorst, 1806**

Material. Transcarpathian Region: Tiachiv District, Shyrokyi Luh vicinity, bunch of different rotting mushrooms, 525 m a. s. l., 17.10.2022 — 1 ♂.

Distribution. *Omalium oxyacanthae* is widely distributed in Palaearctic Region, and was also introduced into North America. In Ukraine, it was mentioned from a few localities in south regions (for details see: Gontarenko, 2012).

Subfamily PAEDERINAE Fleming 1821

Genus *Paederus* Fabricius, 1775

Paederus balcanicus Koch, 1938

Material. Odesa Region: Berezivka vicinity, forest Berezivskyi, near the Tylihul, grassy roots near water, 23.02.2016 — 2♂.

Distribution. The species is distributed in Europe, excluding north, and was mentioned from Ukraine only from Crimea (Gusarov, 1989); the record from Transcarpathian Region (Petrenko, 1985) refer to *P. limophilus* Heer, 1839 (Petrenko, pers. comm., 2009).

Genus *Scopaeus* Erichson, 1840

Scopaeus ryei Wollaston, 1872

Material. Chernivtsi Region: Vyzhnytsia District, Berehomet vicinity, tract Stebnik, 490 m a. s. l., under stone near the Siret, 17.05.2021 — 3♂, 1♀.

Distribution. The species is distributed in Europe, excluding subtropical zone, recently was mentioned for Ukraine from Transcarpathian Region (Gontarenko, 2019).

Genus *Pseudomedon* Mulsant et Rey, 1878

**Pseudomedon huenthali* (Hubental, 1927)

Material. Transcarpathian Region (macropterous morph): Tiachiv District, Shirokiy Luh vicinity, 525 m a. s. l., pebbly-sandy bank of river, under stones, 6.07.2006 — 1♀; ibidem, 8.05.2010 — 1♂, 1♀. Chernivtsi Oblast (brachypterous morph): Vyzhnytsia District, Berehomet vicinity, tract Stebnik, 490 m a. s. l., pebbly-sandy bank of the Siret, under stone, 17.05.2021 — 1♂.

Distribution. According Schülke and Smetana (2015) it was known from Austria, Switzerland, Germany, North Macedonia, and Slovakia. However, Assing (2009) emphasizes ‘correctly identified specimens of *P. huenthali* have been seen only from southern Germany and southern Switzerland’.

Subfamily STAPHYLININAE Latreille, 1802

Genus *Philonthus* Stephens 1829

Philonthus jurgans Tottenham, 1937

Material. Odesa Region: Odesa vicinity, near Krasnosilka, heap of old cow dung, 4.04.2020 — 1♂; Biliaivka District, Troitske vicinity, soil soaked in tree (*Populus* sp.) sap, 11.08.2021 — 1♂, 3♀.

Distribution. The species is distributed in Europe, to the east it reaches Poland, Slovakia and Romania. It was reported from the Ukrainian Carpathians (Tur, 1980; Bogdanov, 1980) without providing the material, as well as from Lviv (Smoleński, 1996) with reference to the Klapach collection. However, Schülke and Smetana (2015) did not cited this species from Ukraine.

Genus *Bisnius* Stephens 1829

Bisnius puella (Nordmann, 1837)

Material. Chernivtsi Region: Vyzhnytsia District, Berehomet vicinity, tract Stebnik, 520 m a. s. l., cow dung, 17.05.2021 — 2♂, 2♀.

Distribution. The species is distributed in Europe, Asia Minor and West Siberia. In Ukraine, it was recorded from a few localities in Chornohora massif (Weise, 1875(1876); Roubal, 1930; Walles, 1935(1936); Bogdanov, 1985), and in Sumy Region (Gontarenko, 2019).

Conclusions. New records of seven species of the rove beetles from Ukraine are provided, of which *Pseudomedon huenthali* (Hubental, 1927) is reported for the first time for Ukraine.

REFERENCES

- Assing, V. 2009. On the *Pseudomedon* species of the Palaearctic region (Coleoptera: Staphylinidae: Paederinae). *Linzer Biologische Beiträge*. 41(2), 1175–1189. URL: https://www.zobodat.at/pdf/LBB_0041_2_1175-1189.pdf.
- Bogdanov, Yu. A. 1980. Landscape and geographical distribution of the rove beetles (Coleoptera, Staphylinidae) in the Ukrainian Carpathians [Ландшафтно-географическое распределение стафилинид (Coleoptera, Staphylinidae) в Украинских Карпатах]. *Ecology [Экология]*, 11(2), 74–80. [in Russian].
- Bogdanov, Yu. A. 1985. Fauna and Ecology of the Rove Beetles (Coleoptera, Staphylinidae) of Transcarpathians [Фауна и экология стафилинид (Coleoptera, Staphylinidae) Закарпатья]. The dissertation thesis for the scientific degree of the candidate of biological sciences. I. I. Schmalhausen Institute of Zoology, Kiev, 1–24. [in Russian].

- Gontarenko, A. V.** 2012. New and poorly known rove beetles (Coleoptera: Staphylinidae) from Ukraine [Новые и малоизвестные жуки стафилиниды (Coleoptera, Staphylinidae) фауны Украины]. *The Kharkov Entomological Society Gazette* [Известия Харьковского энтомологического общества], **20**(2), 6–10. URL: http://nbuv.gov.ua/UJRN/Vkhet_2012_20_2_4. [in Russian].
- Gontarenko, A. V.** 2019. Interesting records of the rove beetles (Coleoptera: Staphylinidae) from Ukraine. *The Kharkov Entomological Society Gazette*, **27**(2), 5–15. DOI: <https://doi.org/10.36016/KhESG-2019-27-2-1>.
- Gusarov, V. I.** 1989. Fauna and ecology of the rove beetles of the Crimea. Subfamilies Proteiniae, Omaliinae, Piestinae, Tachyporinae, Oxyoporinae, Steninae, Paederinae, Xantholininae, Staphylininae [Фауна и экология стафилинид (Coleoptera, Staphylinidae) Крыма. Подсемейства Proteiniae, Omaliinae, Piestinae, Tachyporinae, Oxyoporinae, Steninae, Paederinae, Xantholininae, Staphylininae]. *Vestnik of Leningrad University. Series 3: Biology* [Вестник Ленинградского университета. Серия 3: Биология], **3**, 3–17. [in Russian].
- Petrenko, A. A.** 1985. *Paederus balcanicus* Koch. (Coleoptera, Staphylinidae) — a new species for UkSSR [*Paederus balcanicus* Koch. (Coleoptera, Staphylinidae) — новый для фауны УССР вид]. *Vestnik Zologii* [Вестник зоологии], **19**(3), 76. URL: <http://mail.ian.kiev.ua/vz-pdf/1985/3/VZ%201985-03-19-Petrenko.pdf>. [in Russian].
- Roubal, J.** 1930. *Katalog Coleopter (brouků) Slovenska a Podkarpatска. Díl 1.* Praha, 1–527.
- Schülke, M., Smetana, A.** 2015. Staphylinidae In: Löbl, I., Löbl, D., eds. *Catalogue of Palaearctic Coleoptera. Vol. 2: Hydrophiloidea — Staphyloidea*. Revised and updated edition. Brill, Leiden, Boston, 304–1134. DOI: <https://doi.org/10.1163/9789004296855>.
- Smoleński, M.** 1996. Kolekcja M. Klapacza — Coleoptera — Staphylinidae. Część II. *Wiadomości Entomologiczne*, **15**(1), 13–21. URL: https://baza.biomap.pl/pl/getpdf/8425_Smolenski_M_1996.pdf.
- Tur, R. F.** 1980. Contribution to the fauna and ecology of the rove beetles of the Ukrainian Carpathians [К фауне и экологии жуков-стафилинид Украинских Карпат]. *2nd Congress of the Ukrainian Entomological Society, Uzhgorod, 1–3 October 1980: abstracts /II съезд Украинского энтомологического общества, Ужгород, 1–3 октября 1980 г.: тезисы докладов*, Radyans'ke Zakarpattyia, Uzhgorod, 66. [in Russian].
- Walles, W.** 1935(1936). I. Przyczynek do znajomości chrząszczy Polski pd. (Coleoptera). *Sprawozdanie Komisyi Fizyograficznej*, **70**, 173–186. URL: <https://rein.org.pl/dlibra/publication/49673/edition/39025/content>.
- Weise, J.** 1875(1876). Coleoptorologische Ergebnisse einer Bereisung der Czernagora. *Verhandlungen des Naturforschenden Vereines in Brünn*, **14**, 85–114. URL: https://www.zobodat.at/pdf/Verh-naturf-Ver-Bruenn_14_0085-0114.pdf.

Odesa Department of the Ukrainian Entomological Society